


Blanking Insert for Faceplate

FOR DATA CENTER, NETWORK ENGINEERING CABLING, ENTERPRISE NETWORK CABLING



Overview

FS's Blank Keystone Jack Insert provides a simple way to disguise unused openings in a keystone jack wall plate for a professional looking installation. These keystone inserts are compatible with Faceplate with standard sized keystone openings including the 1-Port to 6-Port faceplate frame keystone insert. These commercial grade keystone jack inserts are engineered for frequent use and built to last. Re-usable keystone jack inserts can be easily disconnected and relocated when upgrading or redecorating.

Benefits

- Blank Keystone Jack Insert Fits a Standard Opening in a Wall Plate for Keystone Jacks
- Help Create a Cleaner Home Environment by Keeping Wallplate Surfaces Cleaner
- Cover Unused Holes and Remove when Ready for Expansion
- Snap-in Construction of Blank Keystone Provide to Prevent Access or Tampering Wall Plates
- Compatible with Faceplates & Boxes, Blank Patch Panels and Multimedia Copper/Fiber Panels

Technical Specification

	FBPWH		FBPBL
#ID	#159373	#185432	#203961
Vendor	FS		FS
Installation Method	Snap-on		Snap-on
Color	White		Black
Material	ABS		ABS
Operation Temperature	-25 to 70°C (-13 to 158°F)		-25 to 70°C (-13 to 158°F)
Package	1pc/Pack	20pcs/Pack	20pcs/Pack

Product Specification

Unit: MM

